

**TANK INFORMATION REQUIRED**

 Tank Owner:  Location:  Date: 



 Tank Number:  Tank Ø:  ft Tank Height:  ft

 Product height when measuring "R": TANK EMPTY  Product Stored: 

*Measure Rim Space ("R") at 8 places (every 45°), starting at the Gauge Pole (0°)*

at 0°, "R"= <input type="text"/> in	at 45°, "R"= <input type="text"/> in	at 90°, "R"= <input type="text"/> in	at 135°, "R"= <input type="text"/> in
at 180°, "R"= <input type="text"/> in	at 225°, "R"= <input type="text"/> in	at 270°, "R"= <input type="text"/> in	at 315°, "R"= <input type="text"/> in
Calculated Average Rim Space=			<input type="text"/> in

**PLEASE SELECT PONTOON RIM TYPE**

 <p align="center">Vertical Rim</p>	 <p align="center">Horizontal Rim</p>
---	--

Rim Height above Pontoon "V2":	<input type="text"/> in
Top of Rim to Liquid Level "V3":	<input type="text"/> in
Rim Bolt Edge Distance "E":	<input type="text"/> in

Rim Depth "V4":	<input type="text"/> in
Rim Bolt Ø "D":	<input type="text"/> in
Rim Bolt Spacing "C":	<input type="text"/> in

**PLEASE SELECT SEAL TYPE**

Primary Seal Type: None
Primary Seal Material: 304 Stainless Steel
Primary Fabric Material: Teflon (10mil)
Secondary Seal Type: None
Secondary Seal Material: 304 Stainless Steel
Secondary Fabric Material: Teflon (10mil)
Wiper Seal Type: None
Wiper Material: Polyethylene
<b>PLEASE SELECT FOAM DAM TYPE</b>
Foam Dam Options: None

**ADDITIONAL OPTIONS**

<input type="checkbox"/> Rim Clip Adaptor <i>(Requires no drilling on site)</i>
<input type="checkbox"/> Wax Scraper
<input type="checkbox"/> Shoe Shunts
<input type="checkbox"/> Fabric Supports

**COMMENTS**